



the right support



# DeckoFix



PEDESTAL LINE

MADE IN ITALY

# Deckofix

IL SUPPORTO CHE SI INSTALLA DIRETTAMENTE NEL TERRENO  
THE SUPPORT THAT IS INSTALLED DIRECTLY INTO THE GROUND

SUPPORTO A TESTA FISSA | FIXED HEAD SUPPORT

Veloce da installare e facilmente rimovibile, Deckofix è la soluzione più ecologica per la creazione di passaggi pedonali, terrazzamenti e bordi piscina perché una volta rimosso non lascia alcuna traccia nell'ambiente e può essere completamente riciclato.

Grazie al diametro di 170 mm, Deckofix è perfetto per la posa con travetti da 120x200 mm, resiste agli agenti atmosferici e alle temperature da -50 a 90°C. Ciascun supporto ha portata di 800 kg ed è regolabile in altezza da 35 a 250 mm.

La vite va in profondità nel terreno per 70 cm.

Quick to install and easy to remove, Deckofix is the ecofriendliest solution to realize walkways, terraces and pool sides since, once removed, it leaves no trace in the environment and it could be completely recycled.

Thanks to the 170 mm diameter, Deckofix is perfect for the installation with 120x200 mms joists.

It resists to atmospheric agents and to temperature from -50°C to +90°C. Each pedestal has a capacity of 800 kg and is adjustable in height from 35 to 250 mm.

The screw goes deep in the ground for 70 cm.




PROGETTO | PROJECT  
**CASA DEI RACCONTI**

UN PATIO ESTERNO ECO-FRIENDLY  
AN ECO-FRIENDLY OUTDOOR PATIO

L'intervento in questo luogo immerso nel verde ha riguardato la realizzazione di un patio di 125 mq nei pressi della piscina.

The work carried out in this place surrounded by greenery included the construction of a 125 square metre patio near the swimming pool.



**Maggiore  
sostenibilità**

**Greater  
sustainability**

**PRODOTTO DA  
MATERIE RICICLATE  
E NUOVAMENTE  
RICICLABILI**

**PRODUCED FROM  
RECYCLED AND  
NEWLY RECYCLABLE  
MATERIALS**



**MADE IN ITALY • IMPERTEK.COM**



IMPERTEK Srl

via Po 507 · 30022 · Ceggia · Venezia · Italy  
T +39 0421 322 525 r.a · F +39 0421 322 756  
info@impertek.com · www.impertek.com